# NEUROSCIENCE

An International Journal under the editorial direction of IBRO

Volume 53, 1993

TITLE SECTION
LIST OF CONTENTS
AND AUTHOR INDEX

PERGAMON PRESS
OXFORD · NEW YORK · SEOUL · TOKYO

# NEUROSCIENCE


*Chief Editors*

P. G. KOSTYUK: *Department of General Physiology, A. A. Bogomoletz Institute of Physiology, Academy of Sciences, 4 Bogomoletz Street, Kiev 24, 252601 GSP, Ukraine*

R. LLINÁS: *Department of Physiology and Biophysics, New York University School of Medicine, 550 First Avenue, New York 10016, U.S.A.*

A. D. SMITH: *Department of Pharmacology, University of Oxford, Mansfield Road, Oxford OX1 3QT, U.K.*

*Editorial Board*

G. ASTON-JONES (*Philadelphia, PA*)
A. BJÖRKLUND (*Lund*)
T. V. P. BLISS (*London*)
J. P. BOLAM (*Oxford*)
A. G. BROWN (*Edinburgh*)
M. C. BROWN (*Oxford*)
J. BUREŠ (*Prague*)
R. E. BURKE (*Bethesda, MD*)
G. BUZSÁKI (*Newark, NJ*)
A. L. BYSOV (*Moscow*)
D. W. CHOI (*St Louis, MO*)
A. CONSTANTI (*London*)
M. COSTA (*Adelaide*)
J. T. COYLE (*Belmont, MA*)
W. CRILL (*Seattle, WA*)
A. C. CUELLO (*Montreal*)
A. C. DOLPHIN (*London*)
F. E. DUDEK (*Fort Collins, CO*)
S. B. DUNNETT (*Cambridge*)
D. EDGAR (*Liverpool*)
M. M. ESIRI (*Oxford*)
R. H. EVANS (*Bristol*)
D. S. FABER (*Philadelphia, PA*)
V. V. FANARDJIAN (*Yerevan*)
R. L. M. FAULL (*Auckland*)
R. FISCHER-COLBRIE (*Innsbruck*)
T. F. FREUND (*Budapest*)
G. GABELLA (*London*)
J. GARTHWAITE (*Beckenham*)
H. M. GERSCHENFELD (*Paris*)
J. GLOWINSKI (*Paris*)
J. A. GRAY (*London*)
A. M. GRAYBIEL (*Cambridge, MA*)
R. W. GUILLERY (*Oxford*)
L. HEIMER (*Charlottesville, VA*)
Z. HENDERSON (*Leeds*)
M. HERKENHAM (*Bethesda, MD*)
D. E. HILLMAN (*New York, NY*)
T. HÖKFELT (*Stockholm*)
E. HOLTZMAN (*New York, NY*)
P. HOLZER (*Graz*)
O. HORNYKIEWICZ (*Vienna*)
J. HOUNSGAARD (*Copenhagen*)
S. P. HUNT (*Cambridge*)
H. JAHNSEN (*Copenhagen*)
B. E. JONES (*Montreal*)
E. G. JONES (*Irvine, CA*)
G. JU (*Xi'an*)
J. S. KELLY (*Edinburgh*)
B. I. KHODOROV (*Moscow*)
S. T. KITAI (*Memphis, TN*)
C. KÖHLER (*Basel*)
O. A. KRISHTAL (*Kiev*)
S. N. LAWSON (*Bristol*)
C. A. MARSDEN (*Nottingham*)
M. R. MATTHEWS (*Oxford*)
A. I. MATUS (*Basle*)
R. Y. MOORE (*Pittsburgh, PA*)
D. K. MOREST (*Farmington, CT*)
J. F. MORRIS (*Oxford*)
É. MUGNAINI (*Storrs, CT*)
W. J. H. NAUTA (*Cambridge, MA*)
T. ONO (*Toyama*)
F. ORREGO (*Santiago*)
J. M. PALACIOS (*Barcelona*)
S. L. PALAY (*Concord, MA*)
V. H. PERRY (*Oxford*)
J. M. POLAK (*London*)
P. RAKIC (*New Haven, CA*)
H. J. RALSTON (*San Francisco, CA*)
S. J. REDMAN (*Canberra*)
T. S. REESE (*Bethesda, MD*)
F. REINOSO-SUÁREZ (*Madrid*)
L. P. RENAUD (*Ottawa*)
M. RÉTHELYI (*Budapest*)
P. J. ROBERTS (*Southampton*)
S. M. SHERMAN (*Stony Brook, NY*)
M. L. SHIK (*Moscow*)
M. V. SOFRONIEW (*Cambridge*)
P. SOMOGYI (*Oxford*)
C. SOTELO (*Paris*)
K. STARKE (*Freiburg*)
M. S. STARR (*London*)
M. STERIADE (*Québec*)
L. STJÄRNE (*Stockholm*)
K. SUZUKI (*Chapel Hill, NC*)
D. T. THEODOSIS (*Bordeaux*)
A. M. THOMSON (*London*)
J. VOOGD (*Rotterdam*)
L. VYKLICKY (*Prague*)
K. D. WALTON (*New York, NY*)
X. S. T. WAN (*Beijing*)
S. P. WATSON (*Oxford*)
K. WICTORIN (*Lund*)
W. D. WILLIS (*Galveston, TX*)
H. WINKLER (*Innsbruck*)
D. J. WOODWARD (*Winston-Salem, NC*)
H. ZIMMERMANN (*Frankfurt*)
C. ZUCKER (*Boston, MA*)

*IBRO Publications Committee*

*Chairman*, A. D. SMITH; C. BLAKEMORE, R. LLINÁS, D. G. R. OTTOSON, D. P. PURPURA, P. G. STRATA.


**Aims and Scope:**
*Neuroscience* publishes papers describing the results of original research on any aspect of the scientific study of the nervous system. Since one of the chief aims of the Journal is to promote communication between neuroscientists, the type of paper most suitable for publication is that in which new observations are clearly and succinctly reported and in which the purpose of the study is made meaningful to scientists of other disciplines. Any paper, however short, will be considered for publication provided that it reports significant, new and carefully confirmed findings with full experimental details. For *Instructions to Authors* see Vol. 52, No. 1, pp. v–viii.


*Production Editors*: M. DAVIES, T. J. FISHER. *Editorial Assistants*: S. J. RUSSELL (U.K.), S. DUKE (U.S.).

*Published* 24 *per annum, two per month* (*six volumes*, 1993)

*Publishing, Subscription and Advertising Offices:*

*Headington Hill Hall, Oxford OX3 0BW* [*Tel*: (0865) 794141; *Fax*: (0865) 60285]



Copyright © 1993 IBRO

# LIST OF CONTENTS


VOLUME 53 NUMBER 1 — 1993

LETTERS TO NEUROSCIENCE

| | | |
|---|---|---|
| **M. Hayman, G. Arbuthnott, G. Harkiss, H. Brace, P. Filippi, V. Philippon, D. Thomson, R. Vigne** and **A. Wright** | Neurotoxicity of peptide analogues of the trans-activating protein tat from Maedi–Visna virus and human immunodeficiency virus | 1 |
| **Y. T. Wang, M. Zhang, R. S. Neuman** and **D. Bieger** | Somatostatin regulates excitatory amino acid receptor-mediated fast excitatory postsynaptic potential components in vagal motoneurons | 7 |

RESEARCH PAPERS

| | | |
|---|---|---|
| **L. S. Benardo** | Characterization of cholinergic and noradrenergic slow excitatory postsynaptic potentials from rat cerebral cortical neurons | 11 |
| **T. Fukuda, S. Nakano, I. Yoshiya** and **P. H. Hashimoto** | Persistent degenerative state of non-pyramidal neurons in the CA1 region of the gerbil hippocampus following transient forebrain ischemia | 23 |
| **K. Kato, D. B. Clifford** and **C. F. Zorumski** | Long-term potentiation during whole-cell recording in rat hippocampal slices | 39 |
| **E. P. Pioro, D. Maysinger, F. R. Ervin, G. Desypris** and **A. C. Cuello** | Primate nucleus basalis of Meynert $p75^{NGFR}$-containing cholinergic neurons are protected from retrograde degeneration by the ganglioside $GM_1$ | 49 |
| **H. Soininen, J. Partanen, V. Jousmäki, E.-L. Helkala, M. Vanhanen, S. Majuri, M. Kaski, P. Hartikainen** and **P. Riekkinen Sr** | Age-related cognitive decline and electroencephalogram slowing in Down's syndrome as a model of Alzheimer's disease | 57 |
| **I. Neumann, J. A. Russell** and **R. Landgraf** | Oxytocin and vasopressin release within the supraoptic and paraventricular nuclei of pregnant, parturient and lactating rats: a microdialysis study | 65 |
| **V. S. Fenelon, D. A. Poulain** and **D. T. Theodosis** | Oxytocin neuron activation and Fos expression: a quantitative immunocytochemical analysis of the effect of lactation, parturition, osmotic and cardiovascular stimulation | 77 |
| **C. A. Haas, C. Donath** and **G. W. Kreutzberg** | Differential expression of immediate early genes after transection of the facial nerve | 91 |
| **Y. Yoshihara, K. Katoh** and **K. Mori** | Odor stimulation causes disappearance of R4B12 epitope on axonal surface molecule of olfactory sensory neurons | 101 |
| **P. Duchamp-Viret, A. Duchamp** and **M. Chaput** | GABAergic control of odor-induced activity in the frog olfactory bulb: electrophysiological study with picrotoxin and bicuculline | 111 |
| **E. D'Angelo, P. Rossi** and **V. Taglietti** | Different proportions of *N*-methyl-D-aspartate and non-*N*-methyl-D-aspartate receptor currents at the mossy fibre–granule cell synapse of developing rat cerebellum | 121 |

| | | |
|---|---|---|
| **M. Robello, C. Amico** and **A. Cupello** | Regulation of $GABA_A$ receptor in cerebellar granule cells in culture: differential involvement of kinase activities | 131 |
| **C. de'Sperati, P. G. Montarolo** and **P. Strata** | Effects of inferior olive inactivation and lesion on the activity of medial vestibular neurons in the rat | 139 |
| **F. Licata, G. Li Volsi, G. Maugeri, L. Ciranna** and **F. Santangelo** | Effects of noradrenaline on the firing rate of vestibular neurons | 149 |
| **A. J. Morton, L. F. B. Nicholson** and **R. L. M. Faull** | Compartmental loss of NADPH diaphorase in the neuropil of the human striatum in Huntington's disease | 159 |
| **P. Hantraye, M. Varastet, M. Peschanski, D. Riche, P. Cesaro, J. C. Willer** and **M. Maziere** | Stable parkinsonian syndrome and uneven loss of striatal dopamine fibres following chronic MPTP administration in baboons | 169 |
| **A. Castaño, A. J. Herrera, J. Cano** and **A. Machado** | Effects of a short period of vitamin E-deficient diet in the turnover of different neurotransmitters in substantia nigra and striatum of the rat | 179 |
| **D. N. Abrous, A. R. A. Shaltot, E. M. Torres** and **S. B. Dunnett** | Dopamine-rich grafts in the neostriatum and/or nucleus accumbens: effects on drug-induced behaviours and skilled paw-reaching | 187 |
| **G. M. Pasinetti, H. W. Cheng, D. G. Morgan, M. Lampert-Etchells, T. H. McNeill** and **C. E. Finch** | Astrocytic messenger RNA responses to striatal deafferentation in male rat | 199 |
| **J. Z. Kiss, C. Wang** and **G. Rougon** | Nerve-dependent expression of high polysialic acid neural cell adhesion molecule in neurohypophysial astrocytes of adult rats | 213 |
| **S. Feldman** and **J. Weidenfeld** | Medial posterior hypothalamic input is involved in adrenocortical activation following forebrain limbic stimulation | 223 |
| **P. K. Mulderry** | Synergistic regulation of vasoactive intestinal polypeptide expression by cyclic AMP and calcium in newborn but not adult rat sensory neurons in culture | 229 |
| **G. H. Fletcher** and **V. A. Chiappinelli** | The actions of the $\kappa_1$ opioid agonist U-50,488 on presynaptic nerve terminals of the chick ciliary ganglion | 239 |
| **W.-H. Lee, K. M. Michels** and **C. A. Bondy** | Localization of insulin-like growth factor binding protein-2 messenger RNA during postnatal brain development: correlation with insulin-like growth factors I and II | 251 |
| **C. Solà, G. Mengod, A. Probst** and **J. M. Palacios** | Differential regional and cellular distribution of $\beta$-amyloid precursor protein messenger RNAs containing and lacking the Kunitz protease inhibitor domain in the brain of human, rat and mouse | 267 |

VOLUME 53 NUMBER 2 1993

LETTERS TO NEUROSCIENCE

| | | |
|---|---|---|
| **P. A. Lapchak, D. M. Araujo** and **F. Hefti** | Systemic interleukin-1$\beta$ decreases brain-derived neurotrophic factor mRNA expression in the rat hippocampal formation | 297 |
| **S. L. Dickson, G. Leng** and **I. C. A. F. Robinson** | Systemic administration of growth hormone-releasing peptide activates hypothalamic arcuate neurons | 303 |

RESEARCH PAPERS


| | | |
|---|---|---|
| **E. Molnár, A. Baude, S. A. Richmond, P. B. Patel, P. Somogyi** and **R. A. J. McIlhinney** | Biochemical and immunocytochemical characterization of antipeptide antibodies to a cloned GluR1 glutamate receptor subunit: cellular and subcellular distribution in the rat forebrain | 307 |
| **L. J. Martin, C. D. Blackstone, A. I. Levey, R. L. Huganir** and **D. L. Price** | AMPA glutamate receptor subunits are differentially distributed in rat brain | 327 |
| **R. Kirchmair, R. Hogue-Angeletti, J. Gutierrez, R. Fischer-Colbrie** and **H. Winkler** | Secretoneurin—a neuropeptide generated in brain, adrenal medulla and other endocrine tissues by proteolytic processing of secretogranin II (chromogranin C) | 359 |
| **R. Miettinen, J. Sirviö, P. Riekkinen Sr, M. P. Laakso, M. Riekkinen** and **P. Riekkinen Jr** | Neocortical, hippocampal and septal parvalbumin- and somatostatin-containing neurons in young and aged rats: correlation with passive avoidance and water maze performance | 367 |
| **P. A. Lapchak, D. M. Araujo** and **F. Hefti** | Regulation of hippocampal muscarinic receptor function by chronic nerve growth factor treatment in adult rats with fimbrial transections | 379 |
| **A. Párducz, J. Perez** and **L. M. Garcia-Segura** | Estradiol induces plasticity of GABAergic synapses in the hypothalamus | 395 |
| **K. Campbell, P. Kalén, K. Wictorin, C. Lundberg, R. J. Mandel** and **A. Björklund** | Characterization of GABA release from intrastriatal striatal transplants: dependence on host-derived afferents | 403 |
| **J.-M. Aubry, M.-F. Schulz, S. Pagliusi, P. Schulz** and **J. Z. Kiss** | Coexpression of dopamine $D_2$ and substance P (neurokinin-1) receptor messenger RNAs by a subpopulation of cholinergic neurons in the rat striatum | 417 |
| **A. M. Alam** and **M. S. Starr** | Dopaminergic modulation of pilocarpine-induced motor seizures in the rat: the role of hippocampal $D_2$ receptors | 425 |
| **J. Bengzon, Z. Kokaia, P. Ernfors, M. Kokaia, G. Leanza, O. G. Nilsson, H. Persson** and **O. Lindvall** | Regulation of neurotrophin and *trkA*, *trkB* and *trkC* tyrosine kinase receptor messenger RNA expression in kindling | 433 |
| **R. Jenkins, R. O'Shea, K. L. Thomas** and **S. P. Hunt** | c-jun Expression in substantia nigra neurons following striatal 6-hydroxydopamine lesions in the rat | 447 |
| **R. A. Leslie, J. M. Moorman, A. Coulson** and **D. G. Grahame-Smith** | Serotonin$_{2/1C}$ receptor activation causes a localized expression of the immediate-early gene c-fos in rat brain: evidence for involvement of dorsal raphe nucleus projection fibres | 457 |
| **A. T. Bruinvels, J. M. Palacios** and **D. Hoyer** | 5-Hydroxytryptamine$_1$ recognition sites in rat brain: heterogeneity of non-5-hydroxytryptamine$_{1A/1C}$ binding sites revealed by quantitative receptor autoradiography | 465 |
| **P. Saransaari** and **S. S. Oja** | Uptake and release of $\beta$-alanine in cerebellar granule cells in primary culture: regulation of release by glutamatergic and GABAergic receptors | 475 |
| **E. R. Korpi, M. Uusi-Oukari** and **J. Kaivola** | Postnatal development of diazepam-insensitive [$^3$H]RO 15–4513 binding sites | 483 |
| **S. C. Tiu, W. Y. Li, C. B. Luo** and **D. T. Yew** | Habenulo-interpeduncular descending pathways and their relationship to enkephalin- and somatostatin-immunoreactive neurons in the interpeduncular nucleus of human fetuses | 489 |

| | | |
|---|---|---|
| **K. M. Harris** and **P. A. Rosenberg** | Localization of synapses in rat cortical cultures | 495 |
| **I. V. Melnick** | Development of spontaneous synaptic activity in culture of the chick spinal cord neurons | 509 |
| **M. Yoshimura** and **S. Nishi** | Blind patch-clamp recordings from substantia gelatinosa neurons in adult rat spinal cord slices: pharmacological properties of synaptic currents | 519 |
| **C. B. Watt** and **P. A. Glazebrook** | Synaptic organization of dopaminergic amacrine cells in the larval tiger salamander retina | 527 |
| **S. Rowan, A. J. Todd** and **R. C. Spike** | Evidence that neuropeptide Y is present in GABAergic neurons in the superficial dorsal horn of the rat spinal cord | 537 |
| **G. Ahnert-Hilger** and **U. Weller** | Comparison of the intracellular effects of clostridial neurotoxins on exocytosis from streptolysin O-permeabilized rat pheochromocytoma (PC 12) and bovine adrenal chromaffin cells | 547 |
| **Y. Aimi, H. Kimura, T. Kinoshita, Y. Minami, M. Fujimura** and **S. R. Vincent** | Histochemical localization of nitric oxide synthase in rat enteric nervous system | 553 |
| **E. Y. Eaker, J. E. Sallustio, J. M. Harris** and **G. Shaw** | Myenteric plexus neurons have developmentally acquired differences in the medium molecular weight subunit of neurofilament protein | 561 |
| **L.-E. Trudeau, G. Baux, P. Fossier** and **L. Tauc** | Transmitter release and calcium currents at an *Aplysia* buccal ganglion synapse—I. Characterization | 571 |
| **G. Baux, P. Fossier, L.-E. Trudeau** and **L. Tauc** | Transmitter release and calcium currents at an *Aplysia* buccal ganglion synapse—II. Modulation by presynaptic receptors | 581 |
| **A. Baginskas, A. Gutman** and **G. Svirskis** | Bi-stable dendrite in constant electric field: a model analysis | 595 |
| BOOK REVIEW<br>**J. H. Morris** | *Greenfield's Neuropathology*. Edited by J. Hume-Adams and L. W. Duchen | 605 |

VOLUME 53 NUMBER 3 1993

| | | |
|---|---|---|
| LETTER TO NEUROSCIENCE<br>**N. P. Wiklund, A. M. Leone, L. E. Gustafsson** and **S. Moncada** | Release of nitric oxide evoked by nerve stimulation in guinea-pig intestine | 607 |
| RESEARCH PAPERS<br>**P. D. Kitchener, J.-P. Bourreau** and **J. Diamond** | NADPH-diaphorase histochemistry identifies isolated endothelial cells at sites of traumatic injury in the adult rat brain | 613 |
| **P. Liberini, E. P. Pioro, D. Maysinger, F. R. Ervin** and **A. C. Cuello** | Long-term protective effects of human recombinant nerve growth factor and monosialoganglioside GM1 treatment on primate nucleus basalis cholinergic neurons after neocortical infarction | 625 |
| **P. A. Lapchak, K. D. Beck, D. M. Araujo, I. Irwin, J. W. Langston** and **F. Hefti** | Chronic intranigral administration of brain-derived neurotrophic factor produces striatal dopaminergic hypofunction in unlesioned adult rats and fails to attenuate the decline of striatal dopaminergic function following medial forebrain bundle transection | 639 |

| | | |
|---|---|---|
| **D. J. S. Sirinathsinghji, R. P. Heavens, E. M. Torres** and **S. B. Dunnett** | Cholecystokinin-dependent regulation of host dopamine inputs to striatal grafts | 651 |
| **C. Kowalski** and **P. Giraud** | Dopamine decreases striatal enkephalin turnover and proenkephalin messenger RNA abundance via $D_2$ receptor activation in primary striatal cell cultures | 665 |
| **M. Morelli, S. Fenu, A. Cozzolino, A. Pinna, A. Carta** and **G. Di Chiara** | Blockade of muscarinic receptors potentiates $D_1$ dependent turning behavior and *c-fos* expression in 6-hydroxydopamine-lesioned rats but does not influence $D_2$ mediated responses | 673 |
| **K. Østergaard** | Organotypic slice cultures of the rat striatum—I. A histochemical and immunocytochemical study of acetylcholinesterase, choline acetyltransferase, glutamate decarboxylase and GABA | 679 |
| **B. A. Sorg** and **P. W. Kalivas** | Effects of cocaine and footshock stress on extracellular dopamine levels in the medial prefrontal cortex | 695 |
| **C. Chiang** and **G. Aston-Jones** | Response of locus coeruleus neurons to footshock stimulation is mediated by neurons in the rostral ventral medulla | 705 |
| **A. Maqbool, T. F. C. Batten, P. A. Berry** and **P. N. McWilliam** | Distribution of dopamine-containing neurons and fibres in the feline medulla oblongata: a comparative study using catecholamine-synthesizing enzyme and dopamine immunohistochemistry | 717 |
| **L. C. Andreae** and **J. Herbert** | Expression of c-*fos* in restricted areas of the basal forebrain and brainstem following single or combined intraventricular infusions of vasopressin and corticotropin-releasing factor | 735 |
| **P. Gass, T. Herdegen, R. Bravo** and **M. Kiessling** | Induction and suppression of immediate early genes in specific rat brain regions by the non-competitive *N*-methyl-D-aspartate receptor antagonist MK-801 | 749 |
| **F. Rossi, T. Borsello, E. Vaudano** and **P. Strata** | Regressive modifications of climbing fibres following Purkinje cell degeneration in the cerebellar cortex of the adult rat | 759 |
| **R. Janáky, P. Saransaari** and **S. S. Oja** | Release of GABA from rat hippocampal slices: involvement of quisqualate/*N*-methyl-D-aspartate-gated ionophores and extracellular magnesium | 779 |
| **M. M. Behbehani, M. Jiang, M. Ennis** and **M. T. Shipley** | Physiological influence of lateral proisocortex on the midbrain periaqueductal gray: evidence for a role of an excitatory amino acid in synaptic activation | 787 |
| **L. A. Krushel, A. L. Prieto, B. A. Cunningham** and **G. M. Edelman** | Expression patterns of the cell adhesion molecule Nr-CAM during histogenesis of the chick nervous system | 797 |
| **D. Thomaidou** and **E. Patsavoudi** | Identification of a novel neuron-specific surface antigen in the developing nervous system, by monoclonal antibody 4C5 | 813 |
| **T. Araki, H. Kato, Y. Kanai** and **K. Kogure** | Postischemic changes of intracellular second messengers in the gerbil brain after long-term survival: an autoradiographic study | 829 |
| **M. F. Snape, H. A. Baldwin, A. J. Cross** and **A. R. Green** | The effects of chlormethiazole and nimodipine on cortical infarct area after focal cerebral ischaemia in the rat | 837 |

| | | |
|---|---|---|
| **M. Ya. Voloshin, G. N. Shevko, E. P. Lukhanina** and **B. P. Kolomiets** | Participation of nucleus entopeduncularis in motor instrumental reflex and entopeduncular influences on motor thalamic nuclei in normal and MPTP-treated cats | 845 |
| **B. N. Smith** and **W. E. Armstrong** | Histamine enhances the depolarizing afterpotential of immunohistochemically identified vasopressin neurons in the rat supraoptic nucleus via $H_1$-receptor activation | 855 |
| **K. Touzani, G. Tramu, J. L. Nahon** and **L. Velley** | Hypothalamic melanin-concentrating hormone and $\alpha$-neoendorphin-immunoreactive neurons project to the medial part of the rat parabrachial area | 865 |
| **J. Zabavnik, G. Arbuthnott** and **K. A. Eidne** | Distribution of thyrotrophin-releasing hormone receptor messenger RNA in rat pituitary and brain | 877 |
| **C. J. Allen, J. R. Ghilardi, S. R. Vigna, P. J. Mannon, I. L. Taylor, D. C. McVey, J. E. Maggio** and **P. W. Mantyh** | Neuropeptide Y/peptide YY receptor binding sites in the heart: localization and pharmacological characterization | 889 |

VOLUME 53 NUMBER 4 1993

LETTERS TO NEUROSCIENCE

| | | |
|---|---|---|
| **X.-J. Wang** and **J. Rinzel** | Spindle rhythmicity in the reticularis thalami nucleus: synchronization among mutually inhibitory neurons | 899 |
| **N. Rocamora, L. Massieu, H. W. G. M. Boddeke, G. Mengod** and **J. M. Palacios** | Neuronal death and neurotrophin gene expression: long-lasting stimulation of neurotrophin-3 messenger RNA in the degenerating CA1 and CA4 pyramidal cell layers | 905 |

RESEARCH PAPERS

| | | |
|---|---|---|
| **C. Humpel, C. Wetmore** and **L. Olson** | Regulation of brain-derived neurotrophic factor messenger RNA and protein at the cellular level in pentylenetetrazol-induced epileptic seizures | 909 |
| **G. Fano′, M. A. Mariggio′, P. Angelella, I. Nicoletti, A. Antonica, S. Fulle** and **P. Calissano** | The S-100 protein causes an increase of intracellular calcium and death of PC12 cells | 919 |
| **A. H. Sharp, T. M. Dawson, C. A. Ross, M. Fotuhi, R. J. Mourey** and **S. H. Snyder** | Inositol 1,4,5-trisphosphate receptors: immunohistochemical localization to discrete areas of rat central nervous system | 927 |
| **P. G. Kostyuk** and **S. I. Kirischuk** | Spatial heterogeneity of caffeine- and inositol 1,4,5-trisphosphate-induced $Ca^{2+}$ transients in isolated snail neurons | 943 |
| **R. W. Turner, D. E. R. Meyers** and **J. L. Barker** | Fast pre-potential generation in rat hippocampal CA1 pyramidal neurons | 949 |
| **E. S. Brazhnik, O. S. Vinogradova, V. S. Stafekhina** and **V. F. Kitchigina** | Acetylcholine, theta-rhythm and activity of hippocampal neurons in the rabbit—I. Spontaneous activity | 961 |
| **O. S. Vinogradova, E. S. Brazhnik, V. S. Stafekhina** and **V. F. Kitchigina** | Acetylcholine, theta-rhythm and activity of hippocampal neurons in the rabbit—II. Septal input | 971 |
| **O. S. Vinogradova, E. S. Brazhnik, V. S. Stafekhina** and **V. F. Kitchigina** | Acetylcholine, theta-rhythm and activity of hippocampal neurons in the rabbit—III. Cortical input | 981 |
| **O. S. Vinogradova, E. S. Brazhnik, V. F. Kitchigina** and **V. S. Stafekhina** | Acetylcholine, theta-rhythm and activity of hippocampal neurons in the rabbit—IV. Sensory stimulation | 993 |
| **H. Ohishi, R. Shigemoto, S. Nakanishi** and **N. Mizuno** | Distribution of the messenger RNA for a metabotropic glutamate receptor, mGluR2, in the central nervous system of the rat | 1009 |

| | | |
|---|---|---|
| **M. O. Poulter, J. L. Barker, A.-M. O'Carroll, S. J. Lolait** and **L. C. Mahan** | Co-existent expression of $GABA_A$ receptor $\beta_2$, $\beta_3$ and $\gamma_2$ subunit messenger RNAs during embryogenesis and early postnatal development of the rat central nervous system | 1019 |
| **L. A. Krushel, J. G. Johnston, G. Fishell, R. Tibshirani** and **D. van der Kooy** | Spatially localized neuronal cell lineages in the developing mammalian forebrain | 1035 |
| **P. H. Boeijinga, A. B. Mulder, C. M. A. Pennartz, I. Manshanden** and **F. H. Lopes da Silva** | Responses of the nucleus accumbens following fornix/fimbria stimulation in the rat. Identification and long-term potentiation of mono- and polysynaptic pathways | 1049 |
| **R. Dimova, J. Vuillet, A. Nieoullon** and **L. Kerkerian-Le Goff** | Ultrastructural features of the choline acetyltransferase-containing neurons and relationships with nigral dopaminergic and cortical afferent pathways in the rat striatum | 1059 |
| **K. Barnes, A. J. Turner** and **A. J. Kenny** | An immunoelectron microscopic study of pig substantia nigra shows co-localization of endopeptidase-24.11 with substance P | 1073 |
| **J. P. Herman, F. Rouge-Pont, M. Le Moal** and **D. N. Abrous** | Mechanisms of amphetamine-induced rotation in rats with unilateral intrastriatal grafts of embryonic dopaminergic neurons: a pharmacological and biochemical analysis | 1083 |
| **C. Bodenant, P. Leroux** and **H. Vaudry** | Localization of somatostatin receptors in subcortical visual centres of the rat during development. Effect of neonatal enucleation on the expression of somatostatin receptors | 1097 |
| **M. A. Hofman, J. S. Purba** and **D. F. Swaab** | Annual variations in the vasopressin neuron population of the human suprachiasmatic nucleus | 1103 |
| **A. Kolta, R. Dubuc** and **J. P. Lund** | An immunocytochemical and autoradiographic investigation of the serotoninergic innervation of trigeminal mesencephalic and motor nuclei in the rabbit | 1113 |
| **S. J. Tallaksen-Greene, R. Elde** and **M. W. Wessendorf** | Regional distribution of serotonin and substance P co-existing in nerve fibers and terminals in the brainstem of the rat | 1127 |
| **Y.-W. Li, Z.-Q. Ding, S. L. Wesselingh** and **W. W. Blessing** | Renal sympathetic preganglionic neurons demonstrated by *Herpes simplex* virus transneuronal labelling in the rabbit: close apposition of neuropeptide Y-immunoreactive terminals | 1143 |
| **U. Schneider, R. C. Poole, A. P. Halestrap** and **P. Grafe** | Lactate–proton co-transport and its contribution to interstitial acidification during hypoxia in isolated rat spinal roots | 1153 |
| **G. Renshaw, P. Rigby, G. Self, A. Lamb** and **R. Goldie** | Exogenously administered alpha-bungarotoxin binds to embryonic chick spinal cord: implications for the toxin-induced arrest of naturally occurring motoneuron death | 1163 |
| CORRIGENDUM | | 1173 |